

BIANCHADF.COM

THE CATALOG OF

# EXCLUSIVE CHEMICALS

EVERYTHING YOU WILL NEED  
WHEN THEY WAKE YOU UP AT 3AM



BIANCHA™  
EXCLUSIVE CHEMICALS TO CHOOSE FOR THE CHOSEN




# WELCOME

TO THE WORLD OF  
POSSIBILITIES.





# SLEEPLESS NIGHTS ARE OVER.



You have spent so much time and money trying out different chemistry partners, yet couldn't find a solid solution.

Those days will no longer be the case.

You will take a journey throughout this catalog to learn what remedies are the best for your problematic situations, and which products can cure your wells' lifelong problems.

✉ For inquiries and questions:

[info@bianchadf.com](mailto:info@bianchadf.com)





# BIANCHA IS HERE FOR A SINGLE PURPOSE.

## WHY BIANCHA?

The only reason we exist is to redefine the industry standards and increase the bar of customer satisfaction, so that YOU can achieve your well-deserved goals.

BIANCHA is a Türkiye-based provider of special chemicals and executive engineering solutions for the oil, gas and geothermal industry.

Our core purpose is to give these services as an industry leader, efficiently and utmostly careful for our customer and the one and only environment.

We have three main manifests:

- We bring outstanding solutions and innovation to the whole sector.
- Without any doubt, we redefine the standards by increasing the bar at every occasion.
- We provide exclusive chemicals to choose for the chosen.



# CONTENT

## DRILLING CHEMICALS

- Alkalinity & Hardness Control Agents
- Lubrication Agents
- High Temperature System Chemicals
- Lost Circulation Materials
- Weighting Agents
- Biocides
- Commercial Clays
- Viscosifiers
- Fluid Loss Control Agents
- Shale Stability Agents
- Salts
- Surfactants
- Deflocculants & Dispersants
- Foam Breakers

## OIL BASED MUD CHEMICALS

- Diesel Based System Additives
- Synthetic Based System Additives







# CONTENT

## PRODUCTION & WELL-STIMULATION CHEMICALS

- Midstream Additives
- Foam Breakers
- Paraffin Control Agents
- Scavengers & Corrosion Inhibitors
- Biocides
- Scale Inhibitors & Dissolvers
- Breakers & Buffers
- Clay & Iron Control
- Crosslinkers & Gelling Agents
- Diverting Agents
- Flowback Surfactants
- Friction Reducers

---

## CEMENTING CHEMICALS





# DRILLING CHEMICALS







# ALKALINITY & HARDNESS CONTROL AGENTS

"CAUSTIC PEACE"

Renaissance oil painting style,  
AI-generated art.





# ALKALINITY & HARDNESS CONTROL AGENTS

## CAUSTICO

Caustic Soda  
pH Buffer



25 KG/SACK

## POTASSA

Caustic Potash  
Potassium Based pH Buffer



25 KG/SACK

## SODIO

Soda Ash  
Calcium Hardness Control



25 KG/SACK

## DI SODIO

Sodium Bicarbonate  
Calcium Hardness Control



25 KG/SACK

## CITRICO

Citric Acid  
Alkalinity and pH Control



25 KG/SACK

## CALCIO

Lime  
Calcium Buffer



25 KG/SACK

## GESSO

Gypsum  
Calcium Buffer



25 KG/SACK







"A GLANCE OF PAST"

Renaissance oil painting style,  
AI-generated art.



# LUBRICATION AGENTS





# LUBRICATION AGENTS

## LUBRIFI

Liquid Lubricant for  
Water Based Muds



55 GAL/DRUM

## SHAMINA

Powder Form Lubricant &  
Shale Stability



25 KG/SACK

## PERLINA

Solid Lubricant Spherical  
Glass or Plastic Beads



50 LB/SACK

## SHAPRESA

ROP Enhancer



55 GAL/DRUM

## LUBRIFI DURE


Liquid Lubricant for HPHT



55 GAL/DRUM







# HIGH TEMPERATURE SYSTEM CHEMICALS

"FIRE IN THE HALL"

Renaissance oil painting style,  
AI-generated art.





# HIGH TEMPERATURE SYSTEM CHEMICALS

## MAGVOLE

High Temperature  
Alkalinity Control



25 KG/SACK

## SEPVOLE

Premium Grade  
Sepiolite Clay



1 MT/BB

## ATAMIDO

HT Filtration Control  
Polymer, Modified Starch



25 KG/SACK

## VISDURE

Modified Polymer for  
Extra High Temperature



25 KG/SACK

## DILUENTE

Acrylic Copolymer for  
High Temperature



19 LT/PAIL

## DILUENTAT

Powder Acrylic Copolymer  
for HTHP



25 KG/SACK

## RESINAT

High Temperature  
Filtration Control Polymer



25 KG/SACK







## "MIGRATION"

Renaissance oil painting style,  
AI-generated art.

# LOST CIRCULATION MATERIALS





# LOST CIRCULATION MATERIALS

<b>FOCA</b> Mixture of Different Types of LCM (F, M, C)  25 KG/SACK	<b>MINAMICA</b> Mica (F, M, C)  25 KG/SACK	<b>MINACARBO</b> Calcium Carbonate (F, M, C, 1000, 1500)  1 MT/BB or 40 KG/SACK
<b>FIBRAMIS</b> Mixture of Fiber Materials in Different Grades  25 KG/SACK	<b>XC PRESA</b> Cross-Link Polymer for Total Loss  25 KG/SACK	<b>RISOLVI</b> Acid-Soluble LCM for Total Loss  50 LB/SACK
<b>NOCE</b> Hazelnut Shell (F, M, C)  25 KG/SACK	<b>NOCCI</b> Peanut Shell  1 MT/BB	<b>SEME</b> Extra Coarse Apricot Seed (C, XC)  1 MT/BB







# WEIGHTING AGENTS

"HERACLES' ANGER"

Renaissance oil painting style,  
AI-generated art.





# WEIGHTING AGENTS

## MINABAR

API Grade Barite



1,5 MT/BB

## MINACARBO

Calcium Carbonate



1 MT/BB

## MINEMA


Hematite



1 MT/BB







## "ART OF MOLD"

Renaissance oil painting style,  
AI-generated art.

# BIOCIDES





# BIOCIDES

## BIACIDA

Gluteraldehydebased  
Biocide



19 LT/PAIL

## FOSFOCIDA

THPS-based Biocide



19 LT/PAIL

## TRICIDA

Triazine-based  
Bactericide



19 LT/PAIL

## AMMOCIDA

Quaternary  
Ammonium Chloride



19 LT/PAIL







"HOW IT BEGAN"

Renaissance oil painting style,  
AI-generated art.

# COMMERCIAL CLAYS





# COMMERCIAL CLAYS

## GENTONITE

Non-Treated Bentonite



1 MT/BB

## SEPVOLE

Premium Grade  
Sepiolite Clay



1 MT/BB







### "FLOATY DREAMS"

Renaissance oil painting style,  
AI-generated art.

# VISCOSIFIERS





# VISCOSIFIERS

## GENTONITE

Non-Treated Bentonite



1 MT/BB

## SEPVOLE

Premium Grade  
Sepiolite Clay



1 MT/BB

## LOSAPAC R

API Grade Regular  
PAC Polymer



25 KG/SACK

## BIAGOM

Premium Grade  
Guar Gum



25 KG/SACK

## BIAHEC L

Liquid Nonionic  
Hydroxiethylcellulose  
Polymer



5 GAL/PAIL

## BIAHEC

Nonionic  
Hydroxiethylcellulose  
Polymer



25 KG/SACK

## LOSAPAC LV

API Grade Low Viscosity  
PAC Polymer



25 KG/SACK

## CARBOXI HV

API Grade High Viscosity  
CMC Polymer



25 KG/SACK

## CARBOXI LV

API Grade Low Viscosity  
CMC Polymer



25 KG/SACK

## VISDURE

Extra High Temperature  
Modified Xanthan Gum



25 KG/SACK



## BIAZAN

Easily Dispersible  
Xanthan Gum



25 KG/SACK

## ZANCIBO

Extra Low Shear  
Rheology Xanthan Gum



25 KG/SACK

## BIAZAN L

Liquid Xanthan Gum



5 GAL/PAIL





# FLUID LOSS CONTROL AGENTS



"A DROP OF NONE"

Renaissance oil painting style,  
AI-generated art.





# FLUID LOSS CONTROL AGENTS

<div>LOSAPAC R</div> <div>API Grade Regular PAC Polymer</div> <div> 25 KG/SACK</div>	<div>LOSAPAC LV</div> <div>API Grade Low- Viscosity PAC Polymer</div> <div> 25 KG/SACK</div>	<div>POLIAC</div> <div>Sodium Polyacrylate/ HT Filtration Control Polymer</div> <div> 25 KG/SACK</div>
<div>CARBOXI HV</div> <div>API Grade Carboxymethyl Cellulose</div> <div> 25 KG/SACK</div>	<div>CARBOXI LV</div> <div>API Grade Low Viscosity Carboxymethyl Cellulose</div> <div> 25 KG/SACK</div>	<div>LIGNI</div> <div>Chrome-free Lignosulfonate</div> <div> 25 KG/SACK</div>
<div>AMIDO</div> <div>Filtration Control Polymer, Starch</div> <div> 25 KG/SACK</div>	<div>ATAMIDO</div> <div>HT Modified Starch</div> <div> 25 KG/SACK</div>	<div>RESINAT</div> <div>High Temperature Filtration Control Polymer</div> <div> 25 KG/SACK</div>







# SHALE STABILITY AGENTS



















"TRAPPED IN"

Renaissance oil painting style,  
AI-generated art.





# SHALE STABILITY AGENTS

<div>SHAMINA</div> <div>Powder Form Lubricant &amp; Shale Stability</div> <div> 25 KG/SACK</div>	<div>CAPSULA</div> <div>Encapsulating Polymer / Shale Stability</div> <div> 25 KG/SACK</div>	<div>CAPSULA LV</div> <div>Encapsulating Polymer / Shale Stability LSRV</div> <div> 25 KG/SACK</div>
<div>CAPSULA L</div> <div>Liquid Encapsulating Polymer, Shale Stability</div> <div> 25 LT/PAIL</div>	<div>SHAGIL</div> <div>Premium Grade Gilsonite, Shale Stability</div> <div> 25 KG/SACK</div>	<div>SHANOL</div> <div>Sulfonated Asphalt, Shale Stability</div> <div> 25 KG/SACK</div>
<div>SHAZIONE</div> <div>Shale Inhibitor</div> <div> 55 GAL/DRUM</div>	<div>SHANOL P</div> <div>Potassium Salt of Sulfonated Asphalt</div> <div> 25 KG/SACK</div>	<div>SHAGLIC</div> <div>Glycol LC, MC, HC / Shale Stability</div> <div> 55 GAL/DRUM</div>







## "A VILLE OF NORTH"

Renaissance oil painting style,  
AI-generated art.



# SALTS





# SALTS

## N-SALE

Sodium Chloride Salt



1 MT/BB

## K-SALE

Potassium Chloride Salt



1 MT/BB

## CA-SALE

Calcium Chloride Salt



1 MT/BB

## NABRO

Sodium Bromide Salt



1 MT/BB

## CABRO

Calcium Bromide Salt



1 MT/BB







"INTENSE TOUCH"

Renaissance oil painting style,  
AI-generated art.

# SURFACTANTS





# SURFACTANTS

## LIBERO

Spotting Fluid



55 GAL/DRUM

## LIBERO G

Weighted Spotting Fluid



55 GAL/DRUM

## ANTI-BALLA

Bit Balling Preventer



55 GAL/DRUM

## DESTORTA

Mud Cake Clean-up Solvent



55 GAL/DRUM

## ANTI-SOZZO

Liquid Foaming Agent



55 GAL/DRUM

## SPUMASO

Drilling Detergent



55 GAL/DRUM

## SHAPRESA

ROP Enhancer



55 GAL/DRUM

## SHAGLIC

Glycol LC, MC, HC /  
Shale Stability



55 GAL/DRUM







### "SMOOTH FLOW"

Renaissance oil painting style,  
AI-generated art.

# DEFLOC- CULANTS & DISPER- SANTS





# DEFLOCCULANTS & DISPERSANTS

## LIGNI

Chrome-free Lignosulfonate



25 KG/SACK

## DILUENTE

Acrylic Copolymer for HT



19 LT/PAIL

## DILUENTAT

Powder Acrylic Copolymer for HT



25 KG/SACK

## RESINAL

Resinated Lignite



19 LT/PAIL

## SODIO F

Sodium Acid Pyrophosphate



25 KG/SACK







"THE BRAVE ONE"

Renaissance oil painting style,  
AI-generated art.



# FOAM BREAKERS





# FOAM BREAKERS

## DESPUMA

Non-ionic Aqueous Emulsion  
Silicon-based for Mono /  
Divalent Brine



19 LT/PAIL

## NOSPUMA

Modified Glycol-based  
Defoamer



55 GAL/DRUM

## DESPUMA P

Aluminum Stearate /  
Powder Defoamer




25 KG/SACK







CHEMICALS FOR  
**OIL-BASED  
SYSTEMS**







# DIESEL-BASED SYSTEM ADDITIVES

"BLACK PEARLS"

Renaissance oil painting style,  
AI-generated art.





# DIESEL-BASED SYSTEM ADDITIVES

## PRIMULASO

Primary Emulsifier for DBM



55 GAL/DRUM

## SEMULASO

Secondary Emulsifier for DBM



55 GAL/DRUM

## MULDURASO

Primary Emulsifier for DBM HT



55 GAL/DRUM

## BAGNASO

Oil Wetting Agent for DBM



55 GAL/DRUM

## GILSONASO

Premium Grade Gilsonite  
for DBM



25 KG/SACK

## ASPHANASO

Liquid Sulfonated Asphalt  
for DBM



25 KG/SACK

## DILUENASO

Thinner for DBM



55 GAL/DRUM

## DILUATASO

Thinner for DBM for HTHP



55 GAL/DRUM

## MODASO

Dimer Acid Based  
Rheology Modifier



55 GAL/DRUM

## TESGASO

Polyamide Based Flat  
Rheology Modifier



55 GAL/DRUM

## DENSASO

Liquid Viscosifier for DBM



55 GAL/DRUM

## FITTASO

High Performance  
Liquid Viscosifier for DBM



55 GAL/DRUM

## GELASO

Premium Grade  
Organophilic Clay



25 KG/SACK

## DETERGASO

High Performance  
Wellbore Cleaner



55 GAL/DRUM







# SYNTHETIC- BASED SYSTEM ADDITIVES

## "ANOTHERVERSE"

Renaissance oil painting style,  
AI-generated art.





# SYNTHETIC-BASED SYSTEM ADDITIVES

## PRIMULIO

Primary Emulsifier for SBM



55 GAL/DRUM

## SECOMULIO

Secondary Emulsifier for SBM



55 GAL/DRUM

## MULDUROLIO

Primary Emulsifier for SBM HT



55 GAL/DRUM

## COMOLIO

HTHP Polyamide-based  
Non-ionic Emulsifier  
and Wetting Agent



55 GAL/DRUM

## BAGNOLIO

Oil Wetting Agent for SBM



55 GAL/DRUM

## GILSOLIO

Premium Grade Gilsonite  
for SBM



25 KG/SACK

## ASPHANOLIO

Liquid Sulfonated Asphalt  
for SBM



25 KG/SACK

## DILOLIO

Thinner for SBM



55 GAL/DRUM

## DILOLIOT

Thinner for SBM for HTHP



55 GAL/DRUM

## FLUIOLIO

Maleated-based Fluid Loss  
Additive for SBM



55 GAL/DRUM

## MODOLIO

Dimer Acid-based  
Rheology Modifier



55 GAL/DRUM

## TESOLIO

Polyamide-based Flat  
Rheology Modifier



55 GAL/DRUM

## DESOLIO

Liquid Viscosifier for SBM



55 GAL/DRUM

## FITTOLIO

High Performance  
Liquid Viscosifier for SBM



55 GAL/DRUM

## ORGANOLIO

Organophilic Clay for SBM



25 KG/SACK

## DETERGOLIO

High Performance  
Wellbore Cleaner



55 GAL/DRUM







# PRODUCTION & STIMULATION CHEMICALS







PRODUCTION  
CHEMICALS

# MIDSTREAM ADDITIVES

"TUBULARITY"

Renaissance oil painting style,  
AI-generated art.





# MIDSTREAM ADDITIVES

PRODUCTION CHEMICALS

## PAUSAMUL

Demulsifier —  
Formulated Based on Resin  
Adducts, Sulfonates, Esters,  
Ethers and Di-epoxides



55 GAL/DRUM

## DIVIDOLIO

Deoiler —  
Formulated Compounds Based  
on Complex Resin Adducts and  
Sulfonates



55 GAL/DRUM

## DESISTENZA

Drag Reducing Additive —  
For Reduction of the Frictional  
Pressure within the Flow of a  
Pipeline



55 GAL/DRUM

## PARAFFINIRE

Paraffin Control Agent —  
For Removal of Deposited  
Paraffins and Waxes



55 GAL/DRUM

## OLEOSOLV

Pipeline Cleaner —  
Formulated for Highly Fouled  
Systems



55 GAL/DRUM







PRODUCTION  
CHEMICALS

# FOAM BREAKERS

"BUBBLED FUTURE"

Renaissance oil painting style,  
AI-generated art.





# FOAM BREAKERS

PRODUCTION CHEMICALS

## PRESPUMA

Specially Designed Non-ionic  
Silicon based Emulsion



19 LT/PAIL

## FINISPUMA

Polydimethylsiloxane-based  
Aqueous Emulsion



55 GAL/DRUM

## MORTOSPUMA

Dimethyl Polysiloxane based  
Defoamer in Hydrocarbon  
Solvent



25 KG/SACK







PRODUCTION  
CHEMICALS

# PARAFFIN CONTROL AGENTS

"UNPREDICTIBLE"

Renaissance oil painting style,  
AI-generated art.





# PARAFFIN CONTROL AGENTS

PRODUCTION CHEMICALS

## PARAFFOLIO

Oil Soluble Blend Solvent for Removal of Deposited Paraffins & Waxes



55 GAL/DRUM

## PARAFFACQUA

Blend of Water Soluble Detergents for Removal of Deposits of Paraffinic Hydrocarbons, Oil Solids and Iron Sulfide



55 GAL/DRUM







PRODUCTION &  
WELL STIMULATION

# SCAVENGERS & CORROSION INHIBITORS

"DEFECTED FACTS"

Renaissance oil painting style,  
AI-generated art.





# SCAVENGERS & CORROSION INHIBITORS

PRODUCTION & WELL STIMULATION

<div>CONTROSSI</div> <div>Sulfite-based Oxygen Scavenger</div> <div> 55 GAL/DRUM</div>	<div>FINIROSSI</div> <div>Catalyzed Ammonium Bisuphite Based Oxygen Scavenger</div> <div> 55 GAL/DRUM</div>	<div>CONTROLFURO</div> <div>H<sub>2</sub>S Scavenger — Powder Zinc Carbonate</div> <div> 25 KG/SACK</div>
<div>PRESOLFURO</div> <div>H<sub>2</sub>S Scavenger — Triazine-Based</div> <div> 55 GAL/DRUM</div>	<div>CORRACQUA</div> <div>WS &amp; OD Film Forming Amine-Based Corrosion Inhibitor</div> <div> 55 GAL/DRUM</div>	<div>CORROLIO</div> <div>OS &amp; WD Film Forming Amine-based Corrosion Inhibitor</div> <div> 55 GAL/DRUM</div>
<div>CORRANCHA</div> <div>Aqueous Blend of an Amine, Bactericide and Oxygen Scavenger</div> <div> 55 GAL/DRUM</div>	<div>CORROSALE</div> <div>Corrosion Inhibitor for Brine</div> <div> 55 GAL/DRUM</div>	







## "MARCH OF EVIL"

Renaissance oil painting style,  
AI-generated art.



PRODUCTION &  
WELL STIMULATION

# BIOCIDES





# BIOCIDES FOR PRODUCTION

## BIOPAUSA

Gluteraldehyde Based Biocide



55 GAL/DRUM

## BIOCCARE

THPS Based Biocide



55 GAL/DRUM



# BIOCIDES FOR WELL STIMULATION

## BIACIDA

Gluteraldehydebased Biocide



19 LT/PAIL

## FOSFOCIDA

THPS-based Biocide



19 LT/PAIL

## TRICIDA

Triazine-based Bacteriocide



19 LT/PAIL







PRODUCTION &  
WELL STIMULATION

# SCALE INHIBITORS & DISSOLVERS

"CAPILLARIZED"

Renaissance oil painting style,  
AI-generated art.





# SCALE INHIBITORS & DISSOLVERS

PRODUCTION & WELL STIMULATION

## SCALANCHA

Partially Neutralized  
Phosphonate-Based  
Scale Inhibitor



55 GAL/DRUM

## SOLFURANCHA

Combination of H<sub>2</sub>S Scavenger  
& Scale Inhibitor



55 GAL/DRUM

## SULVERE

EDTA-based Scale Dissolver  
~40% for Sulphate Scales



55 GAL/DRUM

## MINAVERE

DTPA-based Catalytic Enhanced  
Scale Dissolver – Sulphate and  
Carbonate Scale



55 GAL/DRUM

## ULTRAVERE

Phosphate Ester-based Scale  
Dissolver – Sulphate and  
Carbonate Scale



55 GAL/DRUM







"LET THEM IN"

Renaissance oil painting style,  
AI-generated art.

WELL STIMULATION  
CHEMICALS

# BREAKERS & BUFFERS





# BREAKERS & BUFFERS

WELL STIMULATION CHEMICALS

## LIBERARE

Wide Range Series of  
Encapsulated Oxidizing  
Gel Breaker



55 GAL/DRUM

## TAMPONE

Wide Range of Aqueous  
Crosslinking Buffers



55 GAL/DRUM







WELL STIMULATION  
CHEMICALS

# CLAY & IRON CONTROL

"MASTER OF CORE"

Renaissance oil painting style,  
AI-generated art.





# CLAY & IRON CONTROL

WELL STIMULATION CHEMICALS

## HIBFRENO

Proprietary Clay Stabilizer Used to Combat Both Swelling and Migrating Clays



55 GAL/DRUM

## CONTRAFERRO

Mild Organic Acid Primarily Used in Acid Stimulation to Control Iron



55 GAL/DRUM







WELL STIMULATION  
CHEMICALS

# CROSSLINKERS & GELLING AGENTS

"FLORAL NETWORK"

Renaissance oil painting style,  
AI-generated art.





# CROSSLINKERS & GELLING AGENTS

WELL STIMULATION CHEMICALS

## XGOM

Crosslink Ultra-Low Loadings of Guar Base Gels



55 GAL/DRUM

## OLIGOM

Fast Hydrating Guar Gum Slurries Dispersed in Refined Mineral Oil



55 GAL/DRUM

## VISGOM

Fast Hydrating High Viscosity Guar Powder, Specifically Designed for a Wide Range of Formation Conditions



25 KG/SACK

## SUPPORTO

Stabilizer for Thermal Degradation by Extending the Viscosity Performance of the Crosslinked Fluid



55 GAL/DRUM

## HPGOM

Hydroxyl Propyl Guar - Low Residue Content + High Thermal Stability



25 KG/SACK

## BIAHEC

Hydroxy Ethyl Cellulose - Suitable for Medium Temperature Oil Well



55 GAL/DRUM







## "MYTHOSIS"

Renaissance oil painting style,  
AI-generated art.

WELL STIMULATION  
CHEMICALS

# DIVERTING AGENTS





# DIVERTING AGENTS

WELL STIMULATION CHEMICALS

## CURVA


Wide-Range of Diverting  
Agents for Use in Equal  
Stimulation Treatment



55 GAL/DRUM







"ALL TOGETHER"

Renaissance oil painting style,  
AI-generated art.

WELL STIMULATION  
CHEMICALS

# FLOWBACK SURFACTANTS





# FLOWBACK SURFACTANTS

WELL STIMULATION CHEMICALS

## RESMISTO

Non-Ionic Surfactant and  
Proprietary Resins



55 GAL/DRUM

## MISFLUSSO

Proprietary Blend of Surfactants  
Superior Flowback Recovery  
Performance



55 GAL/DRUM

## PRESSO

Multi-Component Surfactant -  
Maximize Penetration Deeper  
into the Formation



55 GAL/DRUM

## ACQUASSO

Specifically Designed for Use  
in Medium to High TDS Waters  
Without Reducing Flowback  
Surfactant Performance



55 GAL/DRUM







WELL STIMULATION  
CHEMICALS

# FRICTION REDUCERS

"BARRELS OF PLEA"

Renaissance oil painting style,  
AI-generated art.





# FRICTION REDUCERS

WELL STIMULATION CHEMICALS

## RUSCELLO

Dry, Fine, Ultra-Fine Grind Polyacrylamide for Heavy Brine



55 GAL/DRUM

## ALVEO

Selection of High Molecular Weight Friction Reducers Designed to be Added "On-the-Fly" to Fresh to Very Heavy Brines



55 GAL/DRUM

## FLUSSO

Specially Formulated to Achieve the Pump Rates Required for Proppant Transport and Suitable Fracture Geometry



55 GAL/DRUM

## FIUME

Enhances Fluid Viscosity with Zero Reliance on Guar-based Fluids & Treating Rate is Nearly 50% Faster Than Conventional Friction Reducers



55 GAL/DRUM







## "DARKENING GREY"

Renaissance oil painting style,  
AI-generated art.

# CEMENTING CHEMICALS





# CEMENTING CHEMICALS

## ACCELEMENTO

ACCELERATOR

Reduces cement setting time and speed up the development of compressive strength.



25 KG/SACK

## RITARMENTO

RETARDER

Extends cement setting time and allow sufficient time for slurry placement in deep wells.



25 KG/SACK

## RIEMENTO

EXTENDER

Reduces cement density and may also reduce the amount of cement needed.



50 LB/SACK

## CE-PESO

WEIGHTING AGENT

Increases cement density for high pressure formations.



50 LB/SACK

## DISPERMENTO

DISPERSANT

Reduces the viscosity of cement slurry and ensure good mud removal during placement.



25 KG/SACK

## CE-NOFLOSSO

FLUID LOSS CONTROL

Controls water loss from the cement into the formation.



25 KG/SACK

## NORESISTO

FRICTION LOSS ADDITIVE

Improves upon the flow properties of cement slurry.



19 LT/PAIL

## CE-NOPERDITO

LCM

Reduces the loss of cement slurry into weak or vuggy formation.



20 KG/SACK

## CE-NOSPUMO

DEFOAMER

Prevents foaming to ban loss in hydraulic pressure.



19 LT/PAIL

## CE-FIBROSO

FIBROUS MATERIAL

Increases cement resistance to stresses during perforating.



20 KG/SACK

## GABLOCCO

GAS BLOCKER

Especially in gas well, blocks gas migration into slurry not to lose compressive strength of cement.



25 KG/SACK


## SPESSO

SPACER


Mix of influx banner buffer and mud flush.



19 LT/PAIL











# ONE COMPANY TO SUPPLY EVERYTHING YOU NEED.

BIANCHADF.COM

## TIME IS MONEY. SPEND IT WISELY.

We respect your efforts and value your time. That's why you see a wide range of chemical products that you will ever need on and off the field for your projects on this catalog.

For anything you would like to ask, to get an inquiry, or to become our long term partner, please contact us via:

[info@bianchadf.com](mailto:info@bianchadf.com)





# THANKS FOR YOUR TIME.



#### LEGAL DISCLAIMER

The each and entire content of this catalog, the brand name BIANCHA, tagline, logos, icons, wordmarks, product names, AI-generated images, photos and other design elements are trademarks of BIANCHA SONDAJ AKIŞKANLARI MÜH. DAN. YAZ. HİZ. SAN. TİC. LTD. ŞTİ. and cannot be copied or copyrighted by third parties.





**BIANCHA™**  
EXCLUSIVE CHEMICALS TO CHOOSE FOR THE CHOSEN

**W\_**BIANCHADF.COM

**E\_**INFO@BIANCHADF.COM

**T\_**+90 554 778 37 44

**A\_**MİMAR SİNAN MAH. 1358. SK.  
ÖZDEN 9/13 KONAK, İZMİR, TÜRKİYE

BIANCHADF.COM

